



 **viadux**

**DWW PIPE SYSTEMS**

## DWV PVC PIPE SYSTEMS DWV PIPES SWJ (SOLVENT WELD JOINT) & RRJ (RUBBER RING JOINT)

DWV FITTINGS ARE DESIGNED AND MANUFACTURED TO AS/NZS 1260 FOR DRAIN, WASTE & VENT (DWV) APPLICATIONS

### DWV PIPE SWJ

CODE	SIZE (mm)	DESCRIPTION	LENGTH
1400200	100	DWV PVC Pipe SN6 SWJ	6M
1400203	100	DWV PVC Pipe SN10 SWJ E/H	6M
1405803	100	DWV PVC Pipe SN10 SWJ	3M
1400205	150	DWV PVC Pipe SN4 SWJ	6M
1400136	150	DWV PVC Pipe SN8 SWJ E/H	3M
1400259	150	DWV PVC Pipe SN8 SWJ E/H	6M
1400240	225	DWV PVC Pipe SN4 SWJ	6M
1400262	225	DWV PVC Pipe SN8 SWJ E/H	3M
1400260	225	DWV PVC Pipe SN8 SWJ E/H	6M
1400245	300	DWV PVC Pipe SN4 SWJ	6M
1400289	300	DWV PVC Pipe SN8 SWJ E/H	3M
1405218	300	DWV PVC Pipe SN8 SWJ E/H	6M

\* SWJ = Solvent Weld Joint  
\* E/H= Extra Heavy



### DWV PIPE RRJ

CODE	SIZE (mm)	DESCRIPTION	LENGTH
1400264	150	DWV PVC Pipe SN8 RRJ E/H	3M
1400258	225	DWV PVC Pipe SN8 RRJ E/H	3M
1400266	300	DWV Solid Wall Pipe SN8 RRJ E/H	3M
1405219	375	DWV Solid Wall Pipe SN8 RRJ E/H	3M
1400284	375	DWV PVC Pipe SN8 RRJ	3M



## DWV FITTINGS SWJ (SOLVENT WELD JOINT) BENDS (ELBOWS)

DWV FITTINGS ARE DESIGNED AND MANUFACTURED TO AS/NZS 1260 FOR DRAIN, WASTE & VENT (DWV) APPLICATIONS

### 5° BENDS F&F

CODE	SIZE (mm)	DESCRIPTION
1407630	100	DWV Bend 100 X 5 Deg F&F Plain
1407595	150	DWV Bend 150 X 5 Deg F&F Plain
1407508	225	DWV Bend 225 X 5 Deg F&F
1407477	300	DWV Bend 300 X 5 Deg F&F



### 15° BENDS SWJ F&F

CODE	SIZE (mm)	DESCRIPTION
1407640	100	DWV Bend 100 X 15 Deg F&F Plain
1407600	150	DWV Bend 150 X 15 Deg F&F Plain
1407500	225	DWV Bend 225 X 15 Deg F&F Plain
1407478	300	DWV Bend 300 X 15 Deg F&F Plain
1405354	375	DWV Bend 375 X 15d F&F SWJ



### 22° BENDS SWJ F&F

CODE	SIZE (mm)	DESCRIPTION
1405401	150	DWV 150 Bend 22d F&F SWJ

### 30° BENDS SWJ F&F

CODE	SIZE (mm)	DESCRIPTION
1407650	100	DWV Bend 100 X 30 Deg F&F Plain
1407607	150	DWV Bend 150 X 30 Deg F&F Plain (Mtd)
1407526	225	DWV Bend 225 X 30 Deg F&F
1407485	300	DWV Bend 300 X 30 Deg F&F



## DWV FITTINGS SWJ (SOLVENT WELD JOINT) BENDS (ELBOWS) CONTINUED

DWV FITTINGS ARE DESIGNED AND MANUFACTURED TO AS/NZS 1260 FOR DRAIN, WASTE & VENT (DWV) APPLICATIONS

### 45° BENDS SWJ F&F

CODE	SIZE (mm)	DESCRIPTION
1407660	100	DWV Bend 100 X 45 Deg F&F Plain
1407610	150	DWV Bend 150 X 45 Deg F&F Plain
1407512	225	DWV Bend 225 X 45 Deg F&F Plain Mould
1407480	300	DWV Bend 300 X 45 Deg F&F Plain
1405283	375	DWV 375 Bend 45d F&F SWJ



### 60° BENDS SWJ F&F

CODE	SIZE (mm)	DESCRIPTION
1407705	100	DWV Bend 100 X 60 Deg F&F Plain

### 88/90° BENDS SWJ F&F

CODE	SIZE (mm)	DESCRIPTION
1407720	100	DWV Bend 100 X 90 Deg F&F Plain
1407620	150	DWV Bend 150 X 90 Deg F&F Plain
1407521	225	DWV Bend 225 X 90 Deg F&F Plain Mould
1407483	300	DWV Bend 300 X 90 Deg F&F Plain
1405534	375	DWV Bend 375 X 90 Deg F&F Plain

## DWV FITTINGS SWJ (SOLVENT WELD JOINT) JUNCTIONS

DWV FITTINGS ARE DESIGNED AND MANUFACTURED TO AS/NZS 1260 FOR DRAIN, WASTE & VENT (DWV) APPLICATIONS

### 45° JUNCTIONS SWJ F&F

CODE	SIZE (mm)	DESCRIPTION
140800	100	DWV Junction 100 X 45 Deg F&F Plain (Ob)
1407900	150	DWV Junction 150 X 45 Deg F&F Plain (Ob)
1407910	150x100	DWV Junction 150x100x45deg F+F Plain(Ob)
140780	225	DWV Junction 225 X 45 Deg F&F Plain (Ob)
1407856	225x100	DWV Junct 225x100x45deg F&F Moulded (Ob)
1407860	225x150	DWV Junct 225x150x45deg F&F Plain (Ob)
1407845	300	DWV Junction 300 X 45 Deg F&F Plain (Ob)
1407880	300x100	DWV Junction 300x100x45deg F&F Plain(Ob)
1407866	300x150	DWV Junction 300x150x45deg F&F Plain(Ob)
1407882	300x225	DWV Junction 300x225x45d F&F Pln(Fb)(Ob)



### 90° JUNCTIONS SWJ F&F

CODE	SIZE (mm)	DESCRIPTION
1408015	100	DWV Junction 100 X 90 Deg F&F Plain
1407905	150	DWV Junction 150 X 90 Deg F&F Plain
1407915	150x100	DWV Junction 150x100x90deg F&F Plain
1407855	225	DWV Junction 225 X 90 Deg F&F Plain
1407865	225x150	DWV Junction 225x150x90deg F&F Plain
1407846	300	DWV Junction 300 X 90 Deg F&F Plain
1408071	300x100	300 X 100 X 90 DWV Junction
1407904	300x150	DWV Junction 300x150x90deg F&F Plain
1405479	375	DWV Junction Pln 375 X 375mm X 90deg (F)
1405474	375x100	DWV Junction Pln 375 X 150mm X 90deg (F)
1405368	375x225	DWV 375x225 Junct Red 88d F&F SWJ

## DWV FITTINGS SWJ (SOLVENT WELD JOINT) BOSS JUNCTION

DWV FITTINGS ARE DESIGNED AND MANUFACTURED TO AS/NZS 1260 FOR DRAIN, WASTE & VENT (DWV) APPLICATIONS



### 45° BOSS JUNCTION SWJ

CODE	SIZE (mm)	DESCRIPTION
1409603	100	DWV Boss Junction 100 X 100 X 45 Deg
1404724	150x100	DWV Boss Junction 150 X 100 X 45 Deg
1404725	225x100	DWV Boss Junction 225 X 100 X 45 Deg
1404731	225x150	DWV Boss Junction 225 X 150 X 45 Deg
1404728	300x100	DWV Boss Junction 300 X 100 X 45 Deg
1404729	300x150	DWV Boss Junction 300 X 150 X 45 Deg
1404730	300x225	DWV Boss Junction 300 X 225 X 45 Deg

### 90° BOSS JUNCTION SWJ

CODE	SIZE (mm)	DESCRIPTION
1404726	225x100	DWV Boss Junction 225 X 100 X 90 Deg
1404727	225x150	DWV Boss Junction 225 X 150 X 90 Deg

## DWV FITTINGS SWJ (SOLVENT WELD JOINT) CAPS

DWV FITTINGS ARE DESIGNED AND MANUFACTURED TO AS/NZS 1260 FOR DRAIN, WASTE & VENT (DWV) APPLICATIONS



### CAPS PUSH-ON SWJ

CODE	SIZE (mm)	DESCRIPTION
1408700	100	DWV Push ON Cap
1408705	150	DWV Push ON Cap
1408710	225	DWV Push ON Cap
1408711	300	DWV Push ON Cap
1405272	375	DWV Push ON Cap

### CAPS THREADED

CODE	SIZE (mm)	DESCRIPTION
140832	100	DWV Threaded Access Cap
1408325	150	DWV Threaded Access Cap
1408326	225	DWV Threaded Access Cap
140769	300	DWV Threaded Access Cap

### THREADED ACCESS COUPLINGS SWJ

CODE	SIZE (mm)	DESCRIPTION
1408300	100	DWV Access Coupling Threaded
1408305	150	DWV Access Coupling Threaded
1408735	225	DWV Access Coupling Threaded

\* Caps ordered separately

## DWV FITTINGS SWJ (SOLVENT WELD JOINT) BOLTED TRAP SCREWS + INSPECTION OPENINGS

DWV FITTINGS ARE DESIGNED AND MANUFACTURED TO AS/NZS 1260 FOR DRAIN, WASTE & VENT (DWV) APPLICATIONS

### BOLTED TRAP SCREWS SWJ F



CODE	SIZE (mm)	DESCRIPTION
1405540	100	DWV Bolted Trap Screw (Pvc Top)
1405545	150	DWV Bolted Trap Screw (Pvc Top)
1405552	225	PVC Bolted Trap Screw 225mm Mld
1405276	300	DWV 300 Bolted Trap Screw

### INSPECTION OPENINGS 90° WITH THREADED CAP SWJ F&F (27A)



CODE	SIZE (mm)	DESCRIPTION
1408250	100	DWV Inspection Piece (27a) F&F
1408260	150	DWV Inspection Piece (27a) F&F
1405372	225X150	DWV 225x150 Inspect Open W/Cap F&F SWJ

## DWV FITTINGS SWJ (SOLVENT WELD JOINT) LEVEL INVERT TAPERS + COUPLINGS

DWV FITTINGS ARE DESIGNED AND MANUFACTURED TO AS/NZS 1260 FOR DRAIN, WASTE & VENT (DWV) APPLICATIONS

### LEVEL INVERT TAPERS (REDUCERS) SWJ M&F



CODE	SIZE (mm)	DESCRIPTION
1408405	150X100	DWV Level Invert Taper
1408400	225X150	DWV Level Invert Taper
1408406	225X100	DWV Level Invert Taper
1408425	300X100	DWV Joint Level Invert Taper M&F
1408399	300X150	DWV Level Invert Taper
1408398	300X225	DWV Level Invert Taper

Note: Major diameter is a spigot & minor diameter is a socket.

### STRAIGHT COUPLING SWJ F&F



CODE	SIZE (mm)	DESCRIPTION
1408725	100	DWV Straight Coupling
1405313	225	DWV 225 Coupling F&F SWJ Mld
1405311	375	DWV 375 Coupling F&F SWJ Fab

### SLAB REPAIR COUPLING SWJ F&F



CODE	SIZE (mm)	DESCRIPTION
1408821	100	DWV Slab Repair Coupling
1408825	150	DWV Slab Repair Coup Pipe TO Pipe
1408853	225	DWV Slab Repair Coupling

Note: Internal spigot at one end & spigot at the other end, can be pipe to socket, pipe to aware.

### SLIP COUPLING SWJ F&F

CODE	SIZE (mm)	DESCRIPTION
1407376	100	DWV Repair Coupling (Slip Socket)
1407622	150	DWV Repair Coupling (Slip Socket)
1407378	225	DWV Repair Coupling (Slip Socket)

## DWV FITTINGS SWJ (SOLVENT WELD JOINT) FLAP VALVES + REFLUX VALVES

DWV FITTINGS ARE DESIGNED AND MANUFACTURED TO AS/NZS 1260 FOR DRAIN, WASTE & VENT (DWV) APPLICATIONS

### FLAP VALVES (FROG FLAPS) SWJ F



CODE	SIZE (mm)	DESCRIPTION
1407097	100	DWV PVC Flap Valve
1407536	100	DWV Flap Valve Insect Mozzie Proof
1407098	150	DWV PVC Flap Valve
1407537	150	DWV Flap Valve Insect Mozzie Proof
1407099	225	DWV PVC Flap Valve
1405277	300	DWV PVC Flap Valve
1407101	375	DWV PVC Flap Valve

### REFLUX VALVES F&F



CODE	SIZE (mm)	DESCRIPTION
1408768	100	DWV Reflux Valve
1408775	150	DWV Reflux Valve
1408776	225	DWV Reflux Valve
1408777	300	DWV Reflux Valve

## DWV FITTINGS SWJ (SOLVENT WELD JOINT) BOUNDARY TRAPS + STUB FLANGES + ACCESS BENDS

DWV FITTINGS ARE DESIGNED AND MANUFACTURED TO AS/NZS 1260 FOR DRAIN, WASTE & VENT (DWV) APPLICATIONS

### BOUNDARY TRAPS F&F



CODE	SIZE (mm)	DESCRIPTION
1408990	100	DWV Boundary Trap
1408886	150	DWV Boundary Trap
1408912	225	DWV Boundary Trap

### SIDE/REAR ACCESS BENDS SWJ F&F



CODE	SIZE (mm)	DESCRIPTION
1407820	100	DWV Bend 100 X 90 Deg F&F R/Acc
1407815	100	DWV Bend 100 X 90 Deg F&F S/Acc
1407810	100	DWV Bend 100 X 45 Deg F&F S/Acc

### SIDE/REAR ACCESS JUNCTIONS SWJ F&F



CODE	SIZE (mm)	DESCRIPTION
1408220	100	DWV Junct 100 X 90 Deg F&F Rear Access
1408200	100	DWV Junction 100 X 45 Deg F&F R/H Acc
1408205	100	DWV Junction 100 X 45 Deg F&F L/H Acc

## DWV FITTINGS SWJ (SOLVENT WELD JOINT) EW ADAPTORS

DWV FITTINGS ARE DESIGNED AND MANUFACTURED TO AS/NZS 1260 FOR DRAIN, WASTE & VENT (DWV) APPLICATIONS



### EW SOCKET ADAPTORS

CODE	SIZE (mm)	DESCRIPTION
1408620	100	DWV PVC TO E/Ware Adaptor 100mm (Bush)
1408615	150	DWV PVC TO E/Ware Adaptor 150mm (Bush)



### EW SPIGOT ADAPTORS

CODE	SIZE (mm)	DESCRIPTION
1408625	100	DWV PVC TO E/Ware Spigot Adaptor
1408630	150	DWV PVC TO E/Ware Spigot Adaptor
1408631	225	DWV PVC TO E/Ware Spigot Adaptor

## DWV FITTINGS RRJ (RUBBER RING JOINT) BENDS (ELBOWS)

DWV FITTINGS ARE DESIGNED AND MANUFACTURED TO AS/NZS 1260 FOR DRAIN, WASTE & VENT (DWV) APPLICATIONS



### 15° BENDS RRJ F&F

CODE	SIZE (mm)	DESCRIPTION
1405227	150	DWV 150 Bend 15d F&F RRJ

### 30° BENDS RRJ F&F

CODE	SIZE (mm)	DESCRIPTION
1405402	150	DWV 150 Bend 30d F&F RRJ

### 45° BENDS RRJ F&F

CODE	SIZE (mm)	DESCRIPTION
1407308	100	DWV Bend 100 X 45 Deg F&F RRJ
1407316	150	DWV Bend 150 X 45 Deg F&F RRJ
1405252	225	DWV 225 Bend 45d F&F RRJ

### 88° BENDS RRJ F&F

CODE	SIZE (mm)	DESCRIPTION
1405255	100	DWV Bend Plain 88 Deg F&F RRJ 100
1407318	150	DWV Bend 150 X 90 Deg F&F RRJ
1405256	225	DWV Bend Plain 88 Deg F&F RRJ 225

### 15° BENDS RRJ M&F

CODE	SIZE (mm)	DESCRIPTION
1405357	150	DWV Bend 150 X 15d M&F RRJ (Fab)



## DWV FITTINGS RRJ (RUBBER RING JOINT) BENDS (ELBOWS) CONTINUED

DWV FITTINGS ARE DESIGNED AND MANUFACTURED TO AS/NZS 1260 FOR DRAIN, WASTE & VENT (DWV) APPLICATIONS

### 45° BENDS RRJ M&F



CODE	SIZE (mm)	DESCRIPTION
1407324	100	DWV Bend 100 X 45 Deg M&F RRJ
1407330	150	DWV Bend 150 X 45 Deg M&F RRJ

### 60° BENDS RRJ M&F

CODE	SIZE (mm)	DESCRIPTION
1407345	100	DWV Bend 100 X 60 Deg M&F RRJ

### 88° BENDS RRJ M&F



CODE	SIZE (mm)	DESCRIPTION
1405259	150	DWV 150 Bend 88d M&F RRJ

## DWV FITTINGS RRJ (RUBBER RING JOINT) GRP WRAPPED + LONG SWEEP DWV SEWER BENDS

DWV FITTINGS ARE DESIGNED AND MANUFACTURED TO AS/NZS 1260 FOR DRAIN, WASTE & VENT (DWV) APPLICATIONS

### GRP WRAPPED DWV SEWER BENDS RRJ M&F



CODE	SIZE (mm)	DESCRIPTION
1407670	100	DWV Bend 100 X 45 Deg M&F Grp RRJ
1407662	150	DWV Bend 150 X 45 Deg M&F Grp RRJ
1407664	150	DWV Bend 150 X 90 Deg M&F Grp RRJ

### LONG SWEEP 635MM RADIUS BENDS RRJ F&F

CODE	SIZE (mm)	DESCRIPTION
1407678	150	DWV Bend 150 X 90 Deg 635r M&F RRJ

### LONG SWEEP 3M RADIUS BENDS RRJ M&F



CODE	SIZE (mm)	DESCRIPTION
1407671	150	DWV Bend 150 X 5 Deg 3000r M&F RRJ
1407674	150	DWV Bend 150 X 15 Deg 3000r M&F RRJ
1407675	150	DWV Bend 150 X 20 Deg 3000r M&F RRJ
1407676	150	DWV Bend 150 X 30 Deg 3000r M&F RRJ
1407677	150	DWV Bend 150 X 45 Deg 3000r M&F RRJ



## DWV FITTINGS RRJ (RUBBER RING JOINT) JUNCTIONS

DWV FITTINGS ARE DESIGNED AND MANUFACTURED TO AS/NZS 1260 FOR DRAIN, WASTE & VENT (DWV) APPLICATIONS



### 45° JUNCTIONS RRJ F&F

CODE	SIZE (mm)	DESCRIPTION
1407335	100	DWV Junction 100 X 45 Deg F&F RRJ
1407338	150	DWV Junction 150 X 45 Deg F&F RRJ (Ob)
1407336	150X100	DWV Junction 150x100x45deg F&F RRJ (Ob)
1407861	225	DWV Junction 225 X 45 Deg F&F RRJ
1407390	225X100	DWV Junction 225x100x45deg FF RRJ SB Sn8
1407475	225X150	DWV Junction 225x150x45deg F&F RRJ
1407872	300x150	DWV Junction 300 X 150 X 45deg RRJ

### 88° JUNCTIONS RRJ F&F

CODE	SIZE (mm)	DESCRIPTION
1405251	100	DWV 100 Junct Equ 88d F&F RRJ
1407354	150	DWV Junction 150 X 90 Deg F&F RRJ
1407460	225X150	DWV Junction 225x150x90deg F&F RRJ
1407873	300X150	DWV Junction 300 X 150 X 90deg RRJ

### JUNCTIONS EQUAL RRJ WITH SWJ BRANCH & CAP F&F

CODE	SIZE (mm)	DESCRIPTION
1405263	150	DWV 150 Junct 45d SWJ BR & Cap F&F RRJ

### 45° JUNCTIONS RRJ M&F

CODE	SIZE (mm)	DESCRIPTION
1407334		DWV Junction 100 X 45 Deg M&F RRJ
1407344		DWV Junction 150 X 45 Deg M&F RRJ (Ob)
1408110		DWV Junction 150x100x45deg M&F (Ob)

### 88° JUNCTIONS RRJ M&F

CODE	SIZE (mm)	DESCRIPTION
1407360	150	DWV Junction 150 X 90 Deg M&F RRJ

## DWV FITTINGS RRJ (RUBBER RING JOINT) DROP JUNCTIONS

DWV FITTINGS ARE DESIGNED AND MANUFACTURED TO AS/NZS 1260 FOR DRAIN, WASTE & VENT (DWV) APPLICATIONS



### DROP JUNCTIONS RRJ M&F

CODE	SIZE (mm)	DESCRIPTION
1400310	150	DWV Drop Junction RRJ M&F
1400311	225	DWV Drop Junction RRJ M&F
1400312	300	DWV Drop Junction RRJ M&F

## DWV FITTINGS RRJ (RUBBER RING JOINT) COUPLINGS

DWV FITTINGS ARE DESIGNED AND MANUFACTURED TO AS/NZS 1260 FOR DRAIN, WASTE & VENT (DWV) APPLICATIONS



### COUPLINGS RRJ

CODE	SIZE (mm)	DESCRIPTION
1405314	300	DWV 300 Coupling F&F RRJ Fab

### SLIP COUPLINGS RRJ

CODE	SIZE (mm)	DESCRIPTION
1407382	100	DWV Slip Coupling RRJ
1407384	150	DWV Slip Coupling RRJ
1407391	225	DWV Slip Coupling RRJ
1407404	300	DWV Slip Coupling RRJ

## DWV FITTINGS RRJ (RUBBER RING JOINT) LEVEL INVERT TAPERS + DWV INSERT FITTINGS + VERTICAL BACKDROP ASSEMBLIES

DWV FITTINGS ARE DESIGNED AND MANUFACTURED TO AS/NZS 1260 FOR DRAIN, WASTE & VENT (DWV) APPLICATIONS



### LEVEL INVERT TAPERS RRJ M&F

CODE	SIZE (mm)	DESCRIPTION
1405274	150x100	DWV 150x100 Lit M&F RRJ



### VERTICAL BACKDROP ASSEMBLIES RRJ M&F

CODE	SIZE (mm)	DESCRIPTION
1405280	100	RRJ DWV Sanded Ext B/Drop Assy
1405849	150	RRJ DWV Sanded Ext B/Drop Assy

## DWV FITTINGS RRJ (RUBBER RING JOINT) MANHOLE CONNECTIONS

DWV FITTINGS ARE DESIGNED AND MANUFACTURED TO AS/NZS 1260 FOR DRAIN, WASTE & VENT (DWV) APPLICATIONS



### MANHOLE SOCKET SANDED RRJ M&F

CODE	SIZE (mm)	DESCRIPTION
1407523	100	DWV Sanded M/H Coupling M&F
1407400	150	DWV Sanded M/H Coupling M&F
1407524	225	DWV Sanded M/H Coupling M&F
1407405	300	DWV Sanded M/H Coupling M&F

### MANHOLE SPIGOT SANDED RRJ M&M

CODE	SIZE (mm)	DESCRIPTION
1405324	100	DWV 100 M/H Spig Sand Sn10 M&M RRJ 0.5m
1400269	150	DWV Sanded M/Hole Spigot Sn8 150mm RRJ
1405325	225	DWV 225 M/H Sp/Sand Sn8 M&M RRJ 0.5m Fab
1405326	300	DWV 300 M/H Spig Sand Sn8 M&M RRJ 0.5m
1405327	375	DWV 375 M/H Sp/Sand Sn8 M&M RRJ 0.5m Fab

### MANHOLE SOCKET UNSANDED RRJ M&F

CODE	SIZE (mm)	DESCRIPTION
1405328	100	DWV 100 M/H Sck Unsand Sn10 M&F RRJ 0.5m
1405329	150	DWV 150 M/H Sock Unsand Sn8 M&F RRJ 0.5m
1405330	225	DWV 225 M/H SK Unsnd Sn8 MF RRJ 0.5m Mld
1405331	300	DWV 300 M/H Sock Unsand Sn8 M&F RRJ 0.5m
1405332	375	DWV 375 M/H Sock Unsand Sn8 M&F RRJ 0.8m

### MANHOLE DROP BENDS RRJ

CODE	SIZE (mm)	DESCRIPTION
1409056	100	PVC Manhole Back Drop Bend Rrj-Sp
1409057	150	PVC Manhole Back Drop Bend Rrj-Sp

### MANHOLE DROP BENDS M&F

CODE	SIZE (mm)	DESCRIPTION
1408772	100	PVC DWV M/Hole Drop Bend M&F 100mm
1408774	150	DWV Manhole Drop Bend M&F 150mm
1408779	100	PVC DWV M/Hole Drop Bend M&F 150 X 60deg
1400214	225X150	DWV Manhole Drop Bend 225x150x 90deg M&F

## DWV FITTINGS RRJ (RUBBER RING JOINT) INSPECTION OPENINGS

DWV FITTINGS ARE DESIGNED AND MANUFACTURED TO AS/NZS 1260 FOR DRAIN, WASTE & VENT (DWV) APPLICATIONS



### INSPECTION OPENINGS WITH CAP RRJ M&F

CODE	SIZE (mm)	DESCRIPTION
1405306	150	DWV 150 Inspect Open 1xcap M&F RRJ

### INSPECTION OPENINGS WITH 2 CAPS F&F

CODE	SIZE (mm)	DESCRIPTION
1405308	150	DWV 150 Inspect Open 2xcap F&F Rrj/Swj



# viadux

## DWV PIPING SYSTEMS

### ADELAIDE

P: 08 8340 3411  
F: 08 8340 3422  
E: [ccsales@viadux.com.au](mailto:ccsales@viadux.com.au)

### MELBOURNE

P: 03 9309 9133  
F: 03 9309 6237  
E: [ccmsales@viadux.com.au](mailto:ccmsales@viadux.com.au)

### BRISBANE

P: 07 5589 4400  
F: 07 5534 7079  
E: [ccbsales@viadux.com.au](mailto:ccbsales@viadux.com.au)

### PERTH

P: 08 9346 8500  
F: 08 9346 8501  
E: [ccpsales@viadux.com.au](mailto:ccpsales@viadux.com.au)

### DARWIN

P: 08 8935 3300  
F: 08 8947 3981  
E: [ccdsales@viadux.com.au](mailto:ccdsales@viadux.com.au)

### SYDNEY

P: 02 9794 3440  
F: 02 9794 3499  
E: [ccssales@viadux.com.au](mailto:ccssales@viadux.com.au)

### GOLD COAST

P: 07 5589 4400  
F: 07 5534 7079  
E: [ccgsales@viadux.com.au](mailto:ccgsales@viadux.com.au)

### TOWNSVILLE

P: 07 4725 5940  
F: 07 4725 4995  
E: [cctsales@viadux.com.au](mailto:cctsales@viadux.com.au)

### VIADUX PTY LTD

PO BOX 141 FAIRFIELD, NEW SOUTH WALES 1860 / [VIADUX.COM.AU](http://VIADUX.COM.AU)

PHONE 1300 VIADUX (AUSTRALIA)

All Viadux trademarks and logos are owned by Viadux Pty. Ltd. All other brand or product names are trademarks or registered marks of their respective owners. Because we are continuously improving our products and services, Viadux reserves the right to change specifications without prior notice.