

PVC PRESSURE PIPE SYSTEMS

PVC-M PIPE SERIES 2

PVC-M PIPES ARE DESIGNED AND MANUFACTURED TO AS/NZS 4765 FOR VARIOUS WATER INDUSTRY APPLICATIONS



GENERAL APPLICATION

The Viadux range of PVC pipes can be safely used in a wide range of applications including the conveyance of drinking water, recycled water and pressure sewer applications.

TECHNICAL DATA

Temperature Range: 0°C to 60°C

Joining Methods: Rubber ring joint

Approvals: Watermark Level 1. WMA21378. Conformity WM74555 (DP) AMI21378 (AR).

Standard: AS/NZS 4765: Modified PVC (PVC-M) pipe for pressure applications.

Certified to AS/NZS 4020: Suitable for contact with drinking water.

Rubber ring seal with navy blue identifying strip.



PVC-M PIPE SERIES 2 PN12 RRJ

CODE	SIZE	DESCRIPTION
1402230	100mm	PVC-M PIPE S2 PN12 RRJ
1402232	150mm	PVC-M PIPE S2 PN12 RRJ
1402234	200mm	PVC-M PIPE S2 PN12 RRJ
1402236	225mm	PVC-M PIPE S2 PN12 RRJ
1402238	250mm	PVC-M PIPE S2 PN12 RRJ
1402240	300mm	PVC-M PIPE S2 PN12 RRJ
1402442	375mm	PVC-M PIPE S2 PN12 RRJ
1403539	450mm	PVC-M PIPE S2 PN12 RRJ

PVC-M PIPE SERIES 2 PN16 RRJ

CODE	SIZE	DESCRIPTION
1402231	100mm	PVC-M PIPE S2 PN16 RRJ
1402233	150mm	PVC-M PIPE S2 PN16 RRJ
1402235	200mm	PVC-M PIPE S2 PN16 RRJ
1402237	225mm	PVC-M PIPE S2 PN16 RRJ
1402239	250mm	PVC-M PIPE S2 PN16 RRJ
1402241	300mm	PVC-M PIPE S2 PN16 RRJ
1402243	375mm	PVC-M PIPE S2 PN16 RRJ
1403540	450mm	PVC-M PIPE S2 PN16 RRJ

PVC-M PIPE SERIES 2 PN18 RRJ

CODE	SIZE	DESCRIPTION
1402244	100mm	PVC-M PIPE S2 PN18 RRJ
1402246	150mm	PVC-M PIPE S2 PN18 RRJ
700141	200mm	PVC-M PIPE S2 PN18 RRJ

PVC-M PIPE SERIES 2 PN20 RRJ

CODE	SIZE	DESCRIPTION
1402245	100mm	PVC-M PIPE S2 PN20 RRJ
1402247	150mm	PVC-M PIPE S2 PN20 RRJ
1402273	200mm	PVC-M PIPE S2 PN20 RRJ
1403433	250mm	PVC-M PIPE S2 PN20 RRJ
1402283	300mm	PVC-M PIPE S2 PN20 RRJ